DALRADA

Climate Technology

Report: CO2 Heat Pumps with Simultaneous Production of Cold and Heat

DALRADA
Climate Technology

REPORT: CO_2 HEAT PUMPS WITH SIMULTANEOUS PRODUCTION OF COLD AND HEAT

Introduction & Overview

CO_2 heat pumps are advanced devices that use carbon dioxide as a refrigerant. This unique gas has the ability to generate high temperatures, reaching up to 194°F (90°C), making them ideal for applications that require both simultaneous heating and cooling.

This brief report will detail how CO_2 works, its advantages, disadvantages, and limits, and provide several examples of practical use in common industries and business sectors.

HOW CO_2 HEAT PUMPS WORK

CO_2 heat pumps operate using a transcritical cycle involving a compressor, evaporator, condenser, and expansion valve. Through these components, CO_2 compresses and expands, switching states between gas and liquid, allowing for the efficient transfer of heat to generate both hot and cold water.



Heat and Cold Generation Process:

1. **Compression:** The gaseous CO_2 is compressed at a high pressure, increasing its temperature.
2. **Condensation:** The hot gas passes through the condenser, transferring heat to the water and raising its temperature.
3. **Expansion:** The expands, decreasing its pressure and temperature.
4. **Evaporation:** The cold CO_2 absorbs any heat from the cold water in the evaporator, cooling it.

Advantages of CO_2 Heat Pumps:

- **High energy efficiency:** High coefficient of performance (COP) due to CO_2's ability to operate at high pressures.
- **Versatility:** Capable of generating hot and cold water simultaneously.
- **Environmental compatibility:** CO_2 is a natural refrigerant with low global warming potential (GWP) and negative environmental impact.
- **High outlet temperatures:** Can heat water up to 194°F (90°C), ideal for various industrial and commercial applications.

DalradaClimateTech.com
600 La Terraza Blvd., Escondido, CA 92025 • 858.529.9910

Limits and Drawbacks of CO_2 Heat Pumps:

- **Need for simultaneity:** They require the simultaneous use of heat and cold to function efficiently.
- **Higher upfront costs:** High initial investment due to advanced technology.
- **Temperature return limitations:** They are not efficient with water returns above 104°F (40°C).
- **Not suitable for cold-only:** Inadequate and unsuitable for refrigeration-only applications.

REAL-WORLD APPLICATIONS

HOTELS

In hotels, CO_2 heat pumps can be used to produce domestic hot water and, simultaneously, provide cooling for HVAC systems. By producing hot water at approximately 176°F (80°C), the cold generated can be used to cool the air conditioning system, reducing the hotel's total energy consumption.

INDUSTRIAL LAUNDRIES

In large industrial laundry centers, CO_2 heat pumps can generate large amounts of hot water for washing while the residual cold is used to cool the work areas, providing a comfortable environment for employees.

MEAT PACKING FACILITIES

In the meat industry, CO_2 heat pumps can heat water for cleaning and use the cold to maintain cold spaces. This is especially useful in slaughterhouses and meat packing facilities, where there is a constant use of hot water and a continuous need for refrigeration.

DATA CENTERS

In data centers, CO_2 heat pumps can harness waste heat for heating and use the cold to keep equipment cool. This simultaneity of use optimizes energy consumption and reduces operating costs, increasing overall energy efficiency.

HOSPITALS

In hospitals, CO_2 heat pumps can generate hot water for sanitary use and cold water for critical areas such as operating rooms, ultimately improving energy efficiency and reducing costs.

SHOPPING CENTERS

Shopping centers and malls can use CO_2 heat pumps to heat water and cool commercial spaces simultaneously, optimizing air conditioning and energy consumption at the same time.

DalradaClimateTech.com
600 La Terraza Blvd., Escondido, CA 92025 • 858.529.9910

DALRADA
Climate Technology

POPULAR INDUSTRY EXAMPLES

DAIRY INDUSTRY

In the dairy industry, CO_2 heat pumps can be used for pasteurization and simultaneous cooling processes. For example, a heat pump can heat milk to an appropriate temperature for pasteurization and use the cold generated to cool the products after the process, improving energy efficiency and reducing operating time and costs.

BEVERAGE PRODUCTION

In the production of beverages such as beers and soft drinks, CO_2 heat pumps can heat water for cleaning and pasteurization processes, while the residual cold can be used to cool beverages during the fermentation and storage stages. This ensures the efficient use of energy and improves the ongoing sustainability of operations.

FOOD PROCESSING

In food processing, CO_2 heat pumps are ideal for processes that require both heating and cooling, such as cooking products. For example, in a meat processing plant, the heat generated can be used to not only cook, but also sterilize products, while the residual cold can be used to preserve food in refrigerators or cold rooms.

CHEMICAL INDUSTRY

In the chemical industry, CO_2 heat pumps can be used for distillation and chemical reactions that require heat, while the cold generated can be used to cool reactors and store temperature-sensitive chemicals. This not only improves process efficiency, but also contributes to the reduction of carbon emissions.

WASTEWATER TREATMENT

In wastewater treatment plants, CO_2 heat pumps can heat water for anaerobic digestion processes and use the residual cold to cool the treated water before discharge. This dual use optimizes energy consumption while reducing the carbon footprint of the plant.

PAPER INDUSTRY

In the paper industry, CO_2 heat pumps can be used to dry paper after the manufacturing process and to cool machines and equipment, ensuring a more efficient and sustainable process.

DalradaClimateTech.com
600 La Terraza Blvd., Escondido, CA 92025 • 858.529.9910

CONCLUSION

CO_2 heat pumps offer an efficient and sustainable solution for the simultaneous generation of heat and cold in various industrial and commercial applications. Although they present some challenges, such as the need for simultaneous use of heat and cold and higher upfront costs on average, their benefits in terms of energy efficiency and environmental compatibility make them an attractive option for projects that require both forms of energy. With the right planning and design, these heat pumps can be implemented in numerous industries and business sectors, optimizing energy use and reducing operating costs.

*** Sources:**

1. *Araner (Heat Pump Applications in Industry: District Energy)*
2. *European Heat Pump Association (Large Scale Heat Pumps in EuropeIVol. 2)*
3. *Heat Pumping Technologies (Application of Industrial Heat Pumps, Part 1)*
4. *Industrial Energy-Related Technologies and Systems (Application of Industrial Heat Pumps)*
5. *McKinsey & Company (Industrial Heat Pumps: Five Considerations for Future Growth)*

DalradaClimateTech.com
600 La Terraza Blvd., Escondido, CA 92025 • 858.529.9910